FINAL PROGRAMME

BRIDGE DERM SYMPOSIUM

15-16 october 2026 | Lille

Bridging Dermatology Research and Innovation



Supported by

ARDP Association pour la Recherche en Dermatologie et Photobiologie

ufr3s Sciences de Santé et du Sport

Université de Lille

WELCOME LETTER

The BRIDGE Derm Symposium grew out of a strong ambition: to create a lasting space for scientific and clinical exchange between French and British academic teams involved in dermatological research and patient care.

This project builds on collaborations developed during a postdoctoral year in Southampton in the team of Prof Michael Ardern-Jones. That experience forged solid scientific links between our two countries, and initiated constructive dialogue with industrial partners committed to therapeutic innovation in dermatology.

Our ambition is to transform these interactions into a genuine scientific bridge between research centres, clinicians, and industry - spanning cutaneous immunology, eosinophil biology, inflammatory diseases, and cutaneous oncology.

Our goal is to build this into an enduring event, alternating between France and the UK, and progressively constituting a structured international scientific community around these themes.

Dr Frédéric DEZOTEUX
Associate Professor, Dermatology ·
University Hospital, Lille
On behalf of the Organising Committee

Organising Commitee



Dr Frédéric DEZOTEUX
University Hospital, Lille · France
Co-organiser



Pr Michael ARDERN-JONES
University of Southampton, UK
Co-organiser



Pr Delphine STAUMONT-SALLÉ
University Hospital, Lille · France
Co-organiser



Dr Ying TEO
University of Southampton, UK
Co-organiser

ORGANISED BY:

VENUE

LOCATION

The BRIDGE Derm Symposium 2026 will take place at the **Hotel Carlton Lille, 3 rue Pierre Mauroy, 59000 Lille.** Situated at the crossroads of France, Belgium and the United Kingdom, Lille is one of the most accessible cities in Europe, with direct Eurostar connections from London and excellent rail links throughout France.



SECRETARIAT OPENING TIMES

Thursday october 15: from 11:00 to 18:30
Friday october 16: from 08:00 to 14:00

CLOAKROOM

There is no cloakroom available on site.

SOCIAL EVENTS

- **Thursday, October 15 at 19:00 – Guided Tour of Lille Downtown**
  Departure from the Carlton Hotel. Reservations must be made in advance at the registration desk. Please note that seating is limited and subject to availability.

- **Thursday october 15 at 20:00**
  The Gala Dinner will be held at the Estaminet du Welsh (45 Rue de Gand, 59000 Lille). Tickets must be purchased in advance on-line. Please note that seating is limited and subject to availability.

CONTACT ORGANIZING AGENCY

mci group France : 25 rue Anatole France
CS 70139 – 92532 Levallois-Perret Cedex
Tél : +33 (0)1 53 85 82 55

REGISTRATIONS & ACCOMODATION

registration.bridgederm@wearemci.com



Les cheveux repoussent, la confiance aussi[1] :

Soyons de mèche.

La pelade est une maladie auto-immune à impact psychosocial notable, pouvant nécessiter un traitement systémique selon sa sévérité.[2]

Les inhibiteurs de JAK, en bloquant la boucle inflammatoire qui attaque le follicule pileux, favorisent la repousse et offrent aux patients une chance de renouer avec leur confiance en eux.[1-3]

Références :
1. Piraccini BM, *et al.* Scalp hair regrowth is associated with improvements in health-related quality of life and psychological symptoms in patients with severe alopecia areata: results from two randomized controlled trials. *J Dermatolog Treat.* 2023 Dec;34(1):2227299. **2.** Alhanshali L, *et al.* Alopecia Areata: Burden of Disease, Approach to Treatment, and Current Unmet Needs. *Clin Cosmet Investig Dermatol.* 2023 Mar 31;16:803-20. **3.** Sardana K, Bathula S, Khurana A. Which is the Ideal JAK Inhibitor for Alopecia Areata - Revisiting the Immunomechanisms of the JAK Pathway. *Indian Dermatol Online J.* 2023 Jun 28;14(4):465-74.

PP-UNP-FRA-4741 - 06/25 - Pfizer, Société par actions simplifiée au capital de 47.570 €. Siège Social 23-25 avenue du Docteur Lannelongue - 75014 Paris - 433 623 550 RCS Paris. SIREN 433 623 550. SIRET 433 623 550 00020. N° TVA Intra-communautaire FR 73 433 623 550. Locataire-gérant de Pfizer Holding France

---

Changeons de regard sur la pelade.

Pfizer

PROGRAMME

Venue: Hôtel Carlton,
3 rue Pierre Mauroy, 59000 Lille.

BRIDGE DERM SYMPOSIUM



THURSDAY, 15 OCTOBER

12h00 – 14h00	Welcome reception for participants – buffet
14h00 – 14h10	Welcome speech, introduction **Frédéric DEZOTEUX**
14h10 – 15h40	**Overview of Research from Lille**
	Session Chair: Pr Guillaume LEFÈVRE (Lille) **Pr Michael ARDERN-JONES (Southampton)**
14h10 – 14h40	Overview of eosinophils in fundamental research **Stéphane ESNAULT**
14h40 – 15h10	Transcriptomics for the study of tissue Eos, application to the skin **Frédéric DEZOTEUX**
15h10 – 15h40	Effectiveness of photodynamic therapy with Rose Bengal in skin cancers: Study of immunogenic cell death. **Marie BOILEAU**

15h40 – 16h00 **Break – Exhibition**

16h00 – 17h30 **Overview of Research from Southampton – sponsored session by UCB Pharma**

Session Chair: Pr Guillaume LEFÈVRE (Lille)
Pr Michael ARDERN-JONES (Southampton)

16h00 – 16h30 ELISPOT for assessing causality in Drug Reaction
Ying TEO

16h30 – 17h00 Epigenomic approaches for the study of skin inflammatory diseases and skin cancer
Kalum CLAYTON

17h00 – 17h30 Spatial transcriptomic applications for the study of skin inflammatory diseases and skin cancer
Michael ARDERN-JONES

17h30 – 18h30 **Oral communications: fundamental research**

Session Chair: Dr Stéphane ESNAULT (Lille, Madison)
Dr Kalum CLAYTON (Southampton)

17h30 – 17h45 In Vitro Assessment of Viral Antigenic Stimulation for the exploration of drug causality by ELISpot of Drug Reaction with Eosinophilia and Systemic Symptoms (DRESS) Syndrome and Drug-Induced Maculopapular Exanthems
Edouard MASSIP

17h45 – 18h00 Epigenetic Profiling of Epidermal Barrier Dysfunction
Jai CHUPREECHA

18h00 – 18h15 The role of senescence in the development of keratinocyte carcinoma in the context of immunosuppression: transcriptomic insights and therapy induced senescence by tacrolimus in vitro
Henry ABI RACHED

18h15 – 18h30 Investigation of novel immunotherapy combinations in ex vivo human cutaneous squamous cell carcinoma using a tissue slice culture system -
George COLTART



FRIDAY, 16 OCTOBER

08h30 – 09h00	Welcome reception for participants – coffee
09h00 – 09h45	**Symposium: Crosstalk on contact dermatitis and skin allergy**
	Session Chair: Dr Marie BOILEAU (Lille) **Pr ARDERN-JONES (Southampton)**
09h00 – 09h15	Insights from the UK **Livia SORIANO**
09h15 – 09h30	Regard de France **Frédéric DEZOTEUX**
09h30 – 09h45	Discussion

09h45 – 10h30 **Symposium: Crosstalk on Atopic dermatitis– sponsored by PFIZER**

Session Chair: Dr Frédéric DEZOTEUX (Lille)
Dr Ying TEO (Southampton)

09h45 – 10h00 Insights from the UK
Michael ARDERN-JONES

10h00 – 10h15 Regard de France
Audrey NOSBAUM

10h15 – 10h30 Discussion

10h30 – 11h00 **Break – Exhibition**

11h00 – 11h15 **Symposium: Chronic Urticaria – sponsored by GALDERMA**

Session Chair: Pr ARDERN-JONES (Southampton)

11h00 – 11h15 Present and future about CSU
Frédéric DEZOTEUX

11h15 – 12h15 **Oral communications: clinical research**

Session Chair: Dr Marie BOILEAU (Lille) - Dr Olivier PHILIP (Lille)

11h15 – 11h30 D2T GREAT description of patients with difficult-to-treat atopic dermatitis: insight from the D2T GREAT Study
Mahault DAMIÉ - Daniela LOMBARDO

11h30 – 11h45 AI for melanoma recognition
Alexa SHIPMAN

11h45 – 12h00 Allergy testing and management of delayed skin reactions associated with plasma cell disorders treatments: a retrospective, multicentre, real-world study
Clément SVABEK

12h00 – 12h15 Vulval dermatology in practice!
Helen LOTERY

12h15 – 12h30 **e-Poster challenge!**

Session Chair: Dr Frédéric DEZOTEUX (Lille) – Dr Ying TEO (Southampton)

Drug survival of biologic therapies in patients with concomitant hidradenitis suppurativa, inflammatory bowel disease, and spondylarthrosis: a single-centre retrospective cohort
Albane BADET

Study of cellular interactions between eosinophils and keratinocytes
Joséphine DUPUIS

10-year service evaluation of TEN management in Southampton
Xi HUANG

Eczema trends in social media
Philip WILD

12h30 – 12h50 **Invited Talk**

Overview of the health care system in France and Dermatology training - Dr Olivier PHILIP on behalf of the FDVF (French Young Dermatologist Association)

Session Chair: Dr Frédéric DEZOTEUX (Lille)
Pr ARDERN-JONES (Southampton)

12h50 – 13h00 **Announcement of the BRIDGE Derm Symposium in Southampton 2027**

Closing speech from Prof Johnathan OLIVIER, Vice-Dean International - UFR3S – Faculty of Health, University of Lille

ufr3s Sciences de Santé et du Sport

Université de Lille



EXHIBITORS



1. Novartis
2. Regeneron
3. UCB
4. Incyte
5. Pierre Fabre
6. Celltrion
7. Leo Pharma
8. Uriage
9. Johnson & Johnson
10. Almirall
11. Galderma
12. Pfizer
13. Abbvie

SPONSORS

GOLD SPONSORS

GALDERMA

Pfizer

ucb Inspired by patients. Driven by science.
*Inspirés par les **patients**. Guidés par la **science**.*

abbvie

almirall

Johnson&Johnson

SILVER SPONSORS

HEALTHCARE CELLTRION

Incyte

LEO

NOVARTIS
Reimagining medicine, together.

LABORATOIRES Pierre Fabre
Medical Dermatology

REGENERON FRANCE

URIAGE EAU THERMALE

OTHER SPONSORS

AstraZeneca

LA ROCHE POSAY
LABORATOIRE DERMATOLOGIQUE



nemluvio® ▼
nemolizumab

30 mg, poudre et solvant pour solution injectable en stylo prérempli



Maintenant disponible

UNE NOUVELLE VOIE POUR VOS PATIENTS

Dermatite atopique (DA)[1]

Nemluvio® est un traitement de la dermatite atopique modérée à sévère chez les patients âgés de 12 ans et plus qui nécessitent un traitement systémique.

Place dans la stratégie thérapeutique[2] :

En l'état actuel des données, en l'absence de comparaison directe de Nemluvio® (némolizumab) à la ciclosporine orale après échec des traitements topiques, sa place par rapport à la ciclosporine ne peut être établie en 1ère ligne de traitement systémique (après échec des dermocorticoïdes). En conséquence, la Commission de la Transparence considère que Nemluvio® (némolizumab) est un traitement systémique de 2e ligne à réserver aux adultes atteints de dermatite atopique modérée à sévère en cas d'échec, d'intolérance ou de contre-indication à la ciclosporine.

De plus, en l'absence de comparaison aux autres anti-interleukines (dupilumab, tralokinumab et lébrikizumab) et aux anti-JAK (upadacitinib, abrocitinib et baricitinib), la place du némolizumab par rapport à ces médicaments ne peut être précisée. Le choix du traitement systémique de 1ère ligne doit prendre en compte la sévérité de la maladie, les caractéristiques du patient, les antécédents de traitements, les risques d'intolérance et les contre-indications aux différents traitements disponibles.

Le némolizumab a été évalué uniquement en association aux dermocorticoïdes.

Prurigo nodulaire (PN)[1]

Nemluvio® est indiqué dans le traitement du prurigo nodulaire modéré à sévère chez les patients adultes qui nécessitent un traitement systémique.

Place dans la stratégie thérapeutique[3] :

Nemluvio® 30 mg (némolizumab), solution injectable en stylo prérempli, est un traitement systémique de 1re intention du prurigo nodulaire modéré à sévère de l'adulte qui nécessite un traitement systémique.

En l'absence de données comparatives robustes versus DUPIXENT (dupilumab, anti-IL4/13), du fait d'un développement concomitant, la place de Nemluvio® (némolizumab) par rapport à ce médicament ne peut être précisée.

Ce médicament fait l'objet d'une surveillance supplémentaire qui permettra l'identification rapide de nouvelles informations relatives à la sécurité.

Déclarez immédiatement tout effet indésirable suspecté d'être dû à un médicament à votre Centre régional de pharmacovigilance (CRPV) ou sur https://signalement.social-sante.gouv.fr/

Pour une information complète sur Nemluvio®, consultez le Résumé des Caractéristiques du Produit sur la base de données publiques des médicaments en flashant ce QR Code ou directement sur le site internet : https://base-donnees-publique.medicaments.gouv.fr/.

Médicament d'exception

1. Résumé des Caractéristiques du Produit Nemluvio® **2.** HAS. Avis de la Commission de la Transparence de Nemluvio® du 25/06/2025, dermatite atopique. **3.** HAS. Avis de la Commission de la Transparence de Nemluvio® du 25/06/2025, prurigo nodulaire.

Conditions de prescription et de délivrance :
Liste I. Médicament soumis à prescription médicale restreinte. Prescription réservée aux spécialistes en allergologie, en dermatologie, en médecine interne ou en pédiatrie.

Remboursé par la Sécurité Sociale à 65 % - Agréé aux collectivités.

NEM104F - 26/04/60661547/PM/012 date d'élaboration : avril 2026 ©2026 Galderma - Tous les droits sont réservés.

GALDERMA

BRIDGE DERM SYMPOSIUM